


Fig. 2



SUBSTITUTE SHEET (RULE 26)





Fig. 4







Fig. 6(i)

Fig. 6(ii)



SUBSTITUTE SHEET (RULE 26)




Fig. 8Sheet 1




Fig. 8Sheet 2

•	130	14(	150	160		180
				* * * * * * * * * * * * * * * * * * * *	т + + + + - - - -	
		N SD N	NW.		*** *** *** *** *** *** *** *** ***	and the total and the tips dies constant one
S	7. A	King DDIM - 187	KVIKUEKEKE	d	SIDP	TPPSPART
23	P. Carlot	KWANDOWS 150	NVINCERF	ing per art our and per are one and per	S	TPPSPAMT
S	I A	Kardomer	KV		da S	TPPSPAMT
(V)	150	KRATODI	KVIII	D.m.m.m.m.m.m.	1d S	TPPSPAMT
(7)	A WAR	K KODE F	KVWKSEREKF		Tall S	TPPSPA T-
N.	NAMO	LIMITHIAM	ENKVERDI	KAEDDKIKKI		KTTEKT
		LAWATHIN GWK	TENKKVIDDI	KKODEELKKL	CAVIN	ODSKKNIF
A	N. C. C.	LWKKHI ENN	ACHIEVEANT	NKHDEEIKKI	GEDA	KANDKN L
OE.	Ü	LINGHMANN	AOMSILASV			GEOSEL
Z		LINITON AMY	MONATIM		W	
Z		LEAR TOWNS	CONDAIN		H	ATTD
E		LANDON NEWN	MONTH OF THE COMPANY	the new team had been than the same same same		EPTDAEK

Fig. 8Sheet 3




Fig. 8 Sheet 4




Fig. 8 Sheet 5




Fig. 8 Sheet 6





Fig. 8Sheet 7



# Suramin analogue titration in PBS




Fig. 9a

# Suramin analogue titration with 0.1mg/ml BSA




Fig. 9b

17 / 17
Suramin analogue titration with 0.1 mg/ml MSP1




Fig. 9c




Fig. 10

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потнер.

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.